
FIGURE 1

Matter No.: 10974-239005

Applicant(s): Marc Vidal et al.
REVERSE TWO-HYBRID SYSTEMS


Page 1 of 28




Matter No.: 10974-239005

Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS

Page 2 of 28



Page 3 of 28



Matter No.: 10974-239005

Applicant(s): Marc Vidal et al.
REVERSE TWO-HYBRID SYSTEMS

Page 4 of 28

1) cFos Gal4DBD ADH1 Term LEU2 CEN 147 c-Jun Gal4AD ADH1 Prom ADH1 2) Gal4DBD pRb ADH1 Prom ADH1 147 E2F-1 Gal4AD ADH1 Prom 881

				Sc-L-T+FOA 0.2%
				Sc-L-T+l
St. No. of St.				Sc-L-T-URA
C. C. O.O. Sign				Sc-L-T
Vectors	DB AD-Jun	DB AD-E2F		
Gal4	DB-Fos AD-Jun	DB-Rb DB-Rb AD AD-E2F A	Controls	
DB AD	DB-Fos	DB-Rb AD		

166E7219 12E111

Page 6 of 28

Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS


Unit Od x so y to O YET ON AH HO UNK ON TURK BO


ura3-52


SPAL5:URA3

SPAL7:URA3

SPAL8:URA3









Sc-L-T+FOA 0.1%

SPALX:URA3

Controls

SPAL 10:URA3

Sc-L-T+FOA 0.2%

Page 7 of 28


p2.5 Rb#1 p2.5 Rb#2 p2.5 Controls






Sc + 5-FOA (0.2%)

Sc







in vivo manipulation of the BCL

H

Recognition of specific DNAs of Interest and their specific partner by DNA/DNA hybridization




Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS



DB-X	Total	His+	Retested	Known interacting	"Novel" interacting	False positive
None	1x10 ⁶	-	0			
p130	5x10 ⁵	19	6	0	5 + 2	
DP1	2x10 ⁵	7	۲	6 + 2	<u>†</u>	
pRb	1x10 ⁶	20	0			
p35	1x10 ⁶	20	œ	0	8 + 2	0
СДКЗ	1x10 ⁶	38	16			
СБКЗ	1×10 ⁶	38	16			
DCC1	3×10 ⁶	81	23	0		
Zebu	1×10 ⁶	81	23			

Page 12 of 28



Page 13 of 28

None				,					39
Jun N	माम प्रमाप प्रमाप प्राप्त प्राप्त ।					24			
	HII) - 2 - HIII								
130 · DP1 C	•			8					
AD-		·							
AD-107		-							
AD-pRb		N	-						
AD-Y	None	E2F1	E2F2	E2F3	E2F4	Fos	Jun	CyclinA	p21


.

Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS


Page 14 of 28

locate in a caracia


S. XEDION X COLOR BO OF * <010' OF ' THE TOW TO A PART OF THE PART OF X OFF. SO















Sc-L-T-H-U

Sc-L-T-H

Sc -L-T-H+FOA 0.2%

Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS

Page 15 of 28


DB+AD

DB-Rb+AD-E2F1

DB-RbA22+AD-E2F1

DB-Rb+AD-E2FY411C


Controls



Sc-L-T+FOA 0.2% Sc-L-T

Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS

Page 16 of 28




100mM Positive Selection 50mM 10mM Sc-L-T 0.2% Negative Selection 0.05% DB+AD DB-DP1+AD DB+AD-E2F1 Gal4+AD DB-DP1+AD-E2F1 DB-pRb+AD-E2F1 DB-Fos+AD-Jun

3AT

FOA


PCR reaction




Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS

Page 19 of 28


In vitro netagenic PCR reaction



In vivo gap repair



Matter No.: 10974-239005 Applicant(s): Marc Vidal et al. REVERSE TWO-HYBRID SYSTEMS Page 20 of 28



page 21 of 28

· AGEEYELS . ABELGA

3AT 20mM FOA 0.1% Sc-L-T Controls 1,2,3,4 AD-E2F1-30 .D-E2F1-20 AD-E2F1-31 AD-E2F1-32 AD-E2F1-34 DB-DP1 + AD-E2F1

Page 22 of 28

Sc-L-T-U


Sc-L-T+XGal

ACCEPETS ABBIOL


MARKED BOX 2

	E2F5	E2F4	E2F3	E2F2	E2F1	E2F1-20	E2F1-30	E2F1-32	E2F1-31	E2F1-65
301	¥	¥	ш	ш	Ш				1	
	Z	Z	٩	۵	۵				1 1 1	
	_	>	ပ	ပ	ပ				1	
	_		_						1 1 1	
			>	>	ш				1	
	>	>	>	>	>				1	
	I	Ш	Ш	Ш	0		G		: :	
	_	_							1 1	
	۵	٥	٥	٥	D				1 1	
	G	U	U	<u>ග</u>	G				: 1 :	
	S	S	Ø	g	Q	,	۵		1 !	
	I	>	—	-	¥					
	S	S	S	S	S				1	
	¥	¥	4	¥	¥				1	
		_	_	_	_				1 1	
	Z	I	I	>	S				: :	
			_	_	_	H		H		Z
283	Ø	O	G	Ø	Ø				_	

Page 23 of 28




Page 24 of 28




Matter No.: 10974-239005 Applicant(s): Marc Vidal et al.

REVERSE TWO-HYBRID SYSTEMS

Page 25 of 28





SELECTION for Ura/His growth



(Permissive conditions)

FIGURE 24 TUTENT OTENT





Page 28 of 28